


Easy Grader

Advanced channel grader for multiple fish species



- Easy automatic operation
- Fast & accurate grading
- Capacity: Variable according to species
- Labor saving
- Safe & easy to operate



Advanced Grading


With easy continued adjustment in operation



All Easy Graders are built according to customer needs and demands.
Easy Grader can be used to grade following species:

- | | | | | |
|--------------|-----------------|-----------|------------|-----------|
| • Anchovies | • Hake | • Pollock | • Sardines | • Squid |
| • Butterfish | • Herring | • Prawns | • Scallop | • Trout |
| • Capelin | • Lobster tails | • Redfish | • Shrimp | • Whiting |

and other species



Easy grader with 20 grading lines
and 5 grading conveyors





Easy grader with 3 grading lines
and 4 grading slots



On-board grading

High Speed Grading

Fast precision grading - handles raw material gently



Easy to clean open modules

- 1) In-feed lining
- 2) Grading channels
- 3) Water sprayer
- 4) Grading conveyor 1
- 5) Grading conveyor 2
- 6) Grading conveyor 3
- 7) Grading conveyor 4
- 8) Grading conveyor 5
- 9) Control display
- 10) Grading modules

Benefits:


- Fast precision grading
- Automatic process
- Handles raw material gently
- High capacity grading
- Energy efficient
- Customized solutions
- Rugged grading machine
- Flexible grading capabilities
- Easy to clean & sanitize
- Safe & easy to operate

Available with grading channels from 4 grading lines up to 31.


Optional: Big in-feed, In-feed hopper and In-feeding scale.

Optional: Grading conveyors from 0 to 14. Scale and counter for each grading conveyor and control box for the whole system with PC terminal.

Available is a wide range of graders, to grade most food products



Fresh fish grader



Salt fish grader






Easy Compact grader



Easy Weight Batcher

Easy Grader



Easy to clean open modules

Specification:

Dimensions L x W x H: 6160 x 1390 x 1996 mm Weight: 1400 Kg

Voltage: 3 x 400V 60 Hz

Power required: 7.5 Kw

Capacity: According to specie: Average 10 to 50 ton/hour

Material: Stainless steel

Certificate: CE

Compared to our competitors our greatest advantage are our open, continuously cleanable grading modules and the easy continuous adjustment in operation when changing between grades.

Optimize your investment with custom-made solutions

Traust Know How, Ltd., has been a leader developing fish processing equipment for over 30 years. Our qualified team of engineers with years of experience design and develop all our fish processing plants/equipment to suit the need of the fish processing industry around the world.



Agent North America:
OGO Global, LLC. Lynnwood, WA 98087 USA.
Office: +1-425-608-0270 or 425-242-8152
info@ogo-global.com www.ogo-global.com

